Pra 5-19-19:

Scout Report sent out

Noted in the NiD File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or operations suspended

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Qil Ratio Test


	chiaf	
FILE NOTATIONS	Checked by Chief Copy.NID to Field Office	
NID File	and Letter	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Approval Disapproval Letter	
Location Map Pinned Location Map Pinned Card Indexed		
THE CHATE OF	Location Inspected	леутел-трация каменана
Date Well Complete	Bond released Fee Land	
Date Well Completed TA- OW	LOGS FILED	
69		Micro Eith doct
" Driller's Log. 3-15-59 Electric Logs (No.)	GR-N GR-N Cothers Acad	waster las
Electric Logs (GR-N Others Core	lact Cont
Lot——		***

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Of	fice	·
Lease No	Navajo	Tribal
VYYY	14-20-60	03-402

NOTICE OF INTENTION TO CHANGE PLANS			X su	DOMESTIC DEPOT	T OF WATER CUIT	T AFE	1
NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, CREATING, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, CREATING, OR OTHER DATA) (INDIC							1 1
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ADANDON WELL (NOTICE OF INTENTION TO ADANDON WELL (NOTICE OF INTENTION TO ADANDON WELL (NOTICE OF INTENTION TO ADANDON WELL (NOTICE OF INTENTION TO ADANDON WELL (NOTICE OF INTENTION TO BANDON WELL (NOTICE OF INTENTION TO SHOOT OR ACIDITY OF REPORT, NOTICE, OR OTHER DATA) February 7, 19 5: (A SE/4 Sec. 10 T42S R21E (Range) (Meridian) Wildcat San Juan Utah (Slate or Terribory) (Notice of INTENTION TO SHOOT OR ACIDITY OF SUbdivision) Wildcat San Juan Utah (Slate or Terribory) The elevation of the derrick floor above sea level is 4664 ft. DETAILS OF WORK State names of and expected depths to objective sander, show alson, weighbut, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) Expect to drill to a maximum depth of 6400 or an encounter of the Mississippian. Will set approximately 200 9-5/8" casing. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr. Address First National Bank Bldg.			. []				
NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO PULL HISTORY NOTICE OF INTENTION T							
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Rebruary 7,	"		i II				
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) February 7,	NOTICE OF INTENTION TO PULL	L OR ALTER CASING	su	PPLEMENTARY W	ELL HISTORY		
February 7	NOTICE OF INTENTION TO ABAR	NDON WELL					
February 7							
Vell No. 1 is located 660 ft. from \(\begin{array}{c} \beq \begin{array}{c} \begin{array}{c} \begin{array}{c} array	(11	NDICATE ABOVE BY CHECK M	ARK NATURE	OF REPORT, NOTI	CE, OR OTHER DAT	'A)	
Vell No. 1 is located 660 ft. from \(\begin{array}{c} \beq \begin{array}{c} \begin{array}{c} \begin{array}{c} array							10
(4 SE/4 Sec. 10 T42S R21E (Web) (Range) (Meridian) Wildcat San Juan (Country or Subdivision) The elevation of the derrick floor above sea level is 4664 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Expect to drill to a maximum depth of 6400 or an encounter of the Mississippian. Will set approximately 200 9-5/8" casing.					Febru	ary 7,	, 1959
(4 SE/4 Sec. 10 T42S R21E (Web) (Range) (Meridian) Wildcat San Juan (Country or Subdivision) The elevation of the derrick floor above sea level is 4664 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Expect to drill to a maximum depth of 6400 or an encounter of the Mississippian. Will set approximately 200 9-5/8" casing.			(MLT)			(E)	
(4 SE/4 Sec. 10 T42S R21E (Web) (Range) (Meridian) Wildcat San Juan (Country or Subdivision) The elevation of the derrick floor above sea level is 4664 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Expect to drill to a maximum depth of 6400 or an encounter of the Mississippian. Will set approximately 200 9-5/8" casing.	Vell No. 1 is !	located 660 ft. fr	om {S	line and6	60 ft. from	line of sec	10
Wildcat (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is4664 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) Expect to drill to a maximum depth of 6400 or an encounter of the Mississippian. Will set approximately 200 9-5/8 casing.			. ,			(v=)	
Wildcat (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is4664 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) Expect to drill to a maximum depth of 6400 or an encounter of the Mississippian. Will set approximately 200 9-5/8 casing.	3/4 SE/4 Sec. 10	T428 R21	E	<u> </u>	(Maridian)	<u></u>	
The elevation of the derrick floor above sea level is4664 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Expect to drill to a maximum depth of 6400 or an encounter of the Mississippian. Will set approximately 200 or 9-5/8 casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. Lakue, Jr						tah	
DETAILS OF WORK itate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Expect to drill to a maximum depth of 6400' or an encounter of the Mississippian. Will set approximately 200' 9-5/8" casing. I understand that this plan of work must receive approval in writing by the Geological Eurvey before operations may be commenced. Company E. B. LaRue, Jr.	WIIGCAT (Field)	San J (Com	iuan nty or Subdiv	sion)	(Sta	te or Territory)	·
DETAILS OF WORK itate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Expect to drill to a maximum depth of 6400' or an encounter of the Mississippian. Will set approximately 200' 9-5/8" casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr. Address First National Bank Bldg.							
DETAILS OF WORK itate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Expect to drill to a maximum depth of 6400' or an encounter of the Mississippian. Will set approximately 200' 9-5/8" casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr. Address First National Bank Bldg.	he elevation of the der	rrick floor above sea	level is	4664 ft.			
Expect to drill to a maximum depth of 6400° or an encounter of the Mississippian. Will set approximately 200° 9-5/8° casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr.							
Expect to drill to a maximum depth of 6400' or an encounter of the Mississippian. Will set approximately 200' 9-5/8" casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr.		DET	TAILS O	F WORK			
Expect to drill to a maximum depth of 6400' or an encounter of the Mississippian. Will set approximately 200' 9-5/8" casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr.	State names of and expected der	oths to objective sands; show	w sizes, weigh	ts, and lengths o	f proposed casings	: indicate mudding	obs coment
Mississippian. Will set approximately 200' 9-5/8" casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr.			all ather imy	certaint proposed	work)	•	000, 00
Mississippian. Will set approximately 200' 9-5/8" casing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr.			all other im	ortant proposed	work)		
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr. Address First National Bank Bldg.							
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. B. LaRue, Jr. Address First National Bank Bldg.							
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Company E. B. LaRue, Jr. Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Address First National Bank Bldg.	Expect to dril	.1 to a maximum o	lepth of	6400' or	an encoun	ter of the	
Address First National Bank Bldg.	Expect to dril	l to a maximum o	depth of	6400' or	an encoun	ter of the	
1 D I D	Expect to dril Mississippian.	.1 to a maximum of Will set approx	depth of	6400' or	an encoun	ter of the	
1 D I D	Expect to dril Mississippian.	.1 to a maximum of Will set approx	depth of	6400' or	an encoun	ter of the	
B. C. Borr 200	Expect to dril Mississippian. I understand that this plan of	I to a maximum of Will set approved to a maximum of work must receive approved to approved to approve to appro	depth of	6400' or	an encoun	ter of the	
	Expect to dril Mississippian. I understand that this plan of	I to a maximum of Will set approved to a maximum of work must receive approved to approved to approve to appro	depth of	6400' or	an encoun	erations may be com	amenced.
	Expect to dril Mississippian. I understand that this plan of	I to a maximum of Will set approved to a maximum of work must receive approved to a Jr.	depth of	6400' or	an encoun	erations may be com	menced.



I.W.O.CLAXTON, do hereby certify that I am a Reg. Land Surveyor in the State of Utah and that this Plat was made from field and that this Plat was made from field agres of an actual survey made by me and and expervision and is true and connect to the best of my knowledge and belief.

W.O. CLAXTON UTAH REG.NO. 1763 DATE: JAN 89, 1959. PLAT OF
WELL LOCATION
FOR
E.B. LARUE, Jr.
IN
C-SE-SE, Sec 10, T4/S, R21E, S.L.M.
660' F/SL, 660' F/EL
SAN JUAN COUNTY, UTAH
BY
AZIMUTH ENGINEERING CORP.

E. B. LaRue, Jr. First National Bank Building P. O. Box 209 Athens, Texas

Dear Sir:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo 1, which is to be located 660 feet from the south line and 660 feet from the east line of Section 10, Township 42 South, Range 21 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. VEIGHT EXECUTIVE SECRETARY

CBF: co

cc: Phil McGrath, Dist. Eng. U.S.G.S. Farmington, New Maxico

(6

	_			

U. S. LAND OFFICE

SERIAL NUMBER Navajo Tribal

14-20-603-402

LEASE OR PERMIT TO PROSPECT

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SUF!VEY

71/K

LOG OF OIL OR GAS WELL

~				T 73	_					
							ssPQ]}c		•	
							Wildcat			
Well 1	Nol_Na	vajo S	Sec. 10	T. 42S_ R	.21E_ Mei	idian	Cor	inty -San	-Juan	
Locati	or6	60 ft.	$\left. egin{aligned} \mathbf{X} \mathbf{X} \\ \mathbf{X} \mathbf{X} \end{aligned} ight. ight. \left. \left. \mathbf{S} \right. \right.$	Line a	nd .660 ft	$\left\{\begin{array}{l} \mathbf{W} \\ \mathbf{W} \end{array}\right\}$ of \mathbf{E}	Line ofSec	tion 10	Derric Elevati	k F1.4664*
\mathbf{T}	h∈ info	matio	n given h	erewith is	s a comple	te and correc	ct record of the w	ell and all	work dor	ne thereon
so far	as can	be dete	ermined f	rom all av	ailable red Si	ords. med	g. 14 a la	i i kwey -	Šiek	
Date	May	5. 1	959			gned	Title()p	*		
						on of the wel	l at above date.	STUCKT.		
							ned drilling	Мах	6	1050
			,			S SANDS (y		, 10-,1-54
					(I	enote gas by G)			
No. 1,	fi olion	<u> </u>	क्या विश्वकार जिल्ला	to to	TOW IN	-,- No. 4	, from,	to		~~~~~
No. 2,	hoin	4112-41	3#; HP :	5 (to ()#:		No. 5	, from	to		
No. 3.	from	002	130' red	to201 "	aud with	trace No. g	, from ISIB 14	05#, F £ 9	P 62#,	
ILF	14,	ill 3	6#, FSI	22 ∜. I	MPORTA	NT WATER	R SANDS			
No. 1,	from	test	125 2723	2-19496 I	200 12,	mud, 10.3	gram ISIB 19	½" to		
817.83	-&r → (Ω)	ક, ⇔ΩΩા	. ୯୦ଅଟ	ポケーンののこ)-DR USIG	(0.81158 0.0.)	a qiolu d ense dol Lomite no show	1 2		
Set	2051 9	3-5/8	' casing	g with 2	30 8 CAS	INGERECO	SP turns to su	rface.	Total	
Size	Weigh	t hryn	hreads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perfora	ited	Purpose
	321		8	#-40	225	Baker #290		From—		
or shotu.	1 L blig:	or briu	ges were p	at in to test	ior whier, s	rie king of ma	ermi usea, posimon,	ing resums (er pamping	or baieng.
With the	ressins. Frid'' or	ion the left in t	work and i the well, giv	e its size a	a location.	fi the well has	heen dynamited, g v	simile mily, a date, size	position, ar	d number
ītis	ottegi	entest i	mperiance	to have a c	emplete hist	ky of the well.	Piease state in deta	il the vater	of redrifting	r, together
44. E. Canada				HIS	LOBY OF	OIL OR C	AS WELL.	-dioag-x r: t	GOVERNMENT PRIN	TIKG OFFICE
				MUDI	DING ANI	CEMENT	ING RECORD			
Size casing	When	e set	Numb	er sacks of ce	ment	Method used	Mud gravity	Am	ount of mud	used
Se	e plu	ging	report							
			,				****			
					PLUGS	AND ADAP	TERS			
Heavin	ng plug-	-Mat	erial	in the second se		1	TERS	Pepth set .		
	0 2 0			İ		Length		•		

۱	J,
	MARK
	olo:

See plu	igging repor	ːᢏ							
ł	1 1	1	1						
			GS AND A						
Heaving plu	g—Material	į.	į.		Depth	set			
Adapters—N	Aaterial		Size	ize					
Mark III		SH	OOTING R	ECORD	None				
Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned (
				-					
			TOOLS U	SED 61	15'				
		1	į.		, and from				
Cable tools w	vere used from .	fe	į.		, and from	feet to	feet		
		19	DATES		ducingNo	ne	10		
	· ·	·		-	f fluid of which		•		
	i	d% sediment			Gravity, °Bé	•			
)		i	lons gase	oline per 1,000 cu.				
		r sq. in		J	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
_			EMPLOYI	EES					
		, Drille					•		
		, Drille	i				-, Drille		
			RMATION I	RECORI					
FROM—	то-	TOTAL F			FORMATIO				
533 1153 1950	533 1153 1950 2010			Wingate Chinle					
2010	2283			Shinar De Che					
2283 2078	4078 4955			Cutler					
4 955	5280		i 1	Hermosa Parado					
5280 5595	5595 5 790		11		Paradox Paradox				
5,790	5950		4 1		ton Trail				
5950	6115		5 i	Molas					
				MISSISS	sippian				
		Tanana and Tanana	4						
					ma saya sanar				
erom-	7.0-	TOTAL FE	EL [OVER]		FORMATION	10	43094-4		

	<u>Tribal</u> 503-402
Approval expires 12-31-66.	19

-	SAN TOWNSHAMEN	-	-	***************************************	· Charlestonian ;	7000 ARL PRODUCT	pacuma era
	ì	l	<u> </u>	L			
	1						
	}	ŀ					i
			ļ				
	ļ	ì	!	!	i		
	Ì		i				
					ļ		
	1	i			l		
	1		l				
				L			
	ĺ	i	ļ				
		i	i	i	İ		1
	1	ł		i	1		
						i	
	ļ	ŀ	ł				
	l		ł			l	
			·			·	ļ
	ŀ		ļ		!		
	ĺ	ì		l		}	I
					ļ	L	ļ
	l	ł	}	į	l	1	l
		ţ	l	ŧ	1	Į.	ì
		1		ŝ	ł	1	ł
	-		CONTRACTOR BASE	March Sellings:	STREET, STREET	SHOW AND AND	

GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR UNITED STATES

Adapte	rs—Material			ipe	**************************************	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	
Heavin	g plug Mut	orial		ength		Dopen see	
			PLUCES .	A TO ADAP	LEND		
					;		
Se	e plugaina	report					
essing page	Where set	Mumber seeks of	GINGIZE	pasts hodbord	která grasity	Amount of	1603 2 2004
Sizo						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
644-75-4-1-1		WOO:	DING AND	ı	MC BECOED		
		HIS	STORY OF	OIL OR G	AS WELL	6-43094-2 U.S. GOVERNMEN	T PRINTI IG OFFICE
It is	of the greatest i	mportance to have a	complete histo	ry of the well.	Please state in de	tail the dates of redr	illing, together
sidetrac	reasons for the ked" or left in t	work and its results. he well, give its size ges were put in to tes	and location.	any changes If the well has	made in the casing been dynamited, gi	g, state fully, and if a ive date, size, positio	ny casing was n, and number
		2				, and results of pump	ing o bailing.
9 - 5/8	32#	8 4:-40	225)		
Spird	March 31	Weeds per Maks	Amount	Kind of shoe	Cut and pulled from	P wiorated From Te-	Saibess
Set '	2251 9-5/8	' casing with				7.1. and	
(DFB)	15#1 FFP 45	130° rec. 20°	, 30# IFP	note gas 5y G) - 30#	from	to	
Oman	Succa armus						
		March 31				May 6	1950.
		n this page is for	the condition	a of the well	at above date.		
Date	May 5, 1	239	20 20 10 10 1p			perator	
O TOT O	te ottt no store	TTTTTTOO TTOTT 69TT ON		ned		***********	
7.0	ie imormanei	n given herewith i armined from all a	s a comprese	SERIE COTTEC	t record of the v	ven and an work	done ingreon
 വദേവ	naza 10. [N. of B. Line a	ma zaza in.]	W_{i}	י י י י יי	(Derrie	k flocate stive to sea level
LL OTT TA	# U99	N. a I in a	S. S. S. S. S. S. S. S. S. S. S. S. S. S	K	Time of Sec	Der	rick Fl. 460
		ec. 10.1. T. 428. F					
Zompa	ny	E. B. LaRue	JE	Addres	sB0B	ox.205., Athen	अ•ेन्त्र इद्रक्षरु
гос	ATE WELL CO	RRECTLY					
		The consideration of the constraint of the const	roc	1 OF. C	DIF OK (3AS WEL	
			the state of	- Vindo Astronoli Micro		or a see of the Company of the	69
						•	S.